



WIRING DIAGRAM

Thermia Idun

Indoor units

Thermia AB is not liable or bound by warranty if these instructions are not adhered to during installation or service.

The English language is used for the original instructions. Other languages are a translation of the original instructions. (Directive 2006/42/EC)

© Copyright Thermia AB

1	Table item number	4
2	Idun Total EQ 400V	8
3	Idun Compact 400V	11
4	Idun Standard 230V	16

1 Table item number

The following numbers/notes are used for the heat pump. Which number/note is used depends on the heat pump model.


Number/ Note	Description
5	Heat pump unit
7	Indoor unit for air to water heat pump
29	System shunt valve 230VAC
31	Circulation pump (HWC)
32	Circulation pump (pool)
33	Circulation pump (shunt auxiliary heater)
34	Circulation pump (hot gas)
35	Circulation pump (WCS)
36	Circulation pump (system)
38	Circulation pump (cooling circuit)
39	Circulation pump (heat dump)
40	Expansion card
48	External brine in sensor
49	External brine out sensor
50	Outdoor sensor
51	System supply line sensor
52	System return line sensor
53	Hot water sensor lower
54	Sensor (WCS)
55	Hot water sensor top
56	Sensor HWC return line
57	Return line sensor cooling tank
58	Supply line sensor cooling circuit
59	Sensor cooling tank
60	Sensor pool
61	Return line sensor heat dump
62	Room sensor
63	Sensor hot water
64	Sensor cold water
71	Flow guard/sensor
72	External auxiliary heater shunt
73	Control valve WCS
74	Shunt valve cooling circuit
75	Mixing valve HW
76	Reversing valve heat dump
77	Reversing valve hot water
78	Reversing valve cooling
79	Reversing valve active cooling
101	Reversing valve pool
107	Shunt (distribution circuit 1)
108	Supply line sensor (distribution circuit 1)
109	Circulation pump (distribution circuit 1)
115	Auxiliary heater hot gas boiler
117	External auxiliary heater
118	Auxiliary heater (anti-legionella)
119	Control signal dry cooler
132	Passive room sensor
136	Buffer tank sensor
143	Return line shunt
150	Exhaust battery sensor
151	Condenser circuit pressure transmitter
152	Brine circuit pressure transmitter


Number/ Note	Description
170	System circ. pump A
171	System circ. pump B
172	Auxiliary circ. pump (brine)
173	BMS/Building management system
174	Accessory
175	Accessory monitoring online
176	External heater burn out pump
180	Tank sensor TWC (hot gas boiler)
181	Return line sensor (cooling circuit)
182	Supply line sensor heat dump
183	Supply line sensor pool
184	Reversing valve hot gas boiler
185	Reversing valve cooling mode
186	Reversing valve individual pool
207	Shunt (distribution circuit 2-5)
208	Supply line sensor (distribution circuit 2-5)
209	Circulation pump (distribution circuit 2-5)
210	Return line sensor (distribution circuit 2-5)
211	Valve zone 1
212	Valve zone 2
213	Room sensor zone 1
214	Room sensor zone 2
250	Shunt pool circuit
251	Shunt valve heat dump
301	Compressor
302	Brine pump
304	Spare circulation pump
305	Fan
308	Condenser pump
310	Reversing valve
311	4 way valve
312	Bypass valve
313	Electronic expansion valve
314	Electronic injection valve
317	Immersion heater
318	Circulation pump secondary unit
319	Solenoid valve
320	Gas separator
340	Temperature guard
341	Start signal
342	External pool off
343	External WCS start
344	Alarm relay
345	Start signal internal brine
346	Start signal cooling
347	Cooling mode
353	Compressor thermostat
354	Compressor heater
355	Drip tray heater cable
364	Shunt valve hot water
365	Supply line sensor secondary
366	Return line sensor secondary
370	Secondary circuit pump
375	Brine valve
377	Reversing valve volume tank

Number/ Note	Description
401	DLT sensor
402	Volume tank sensor
403	Operating pressure switch
404	Brine in sensor cooling mode
405	Radiator out sensor
407	HGW sensor
408	EVU/Smart grid 1
409	Smart grid 2
410	Compressor oil temp
411	Radiator return sensor
412	Brine out sensor
413	Brine in sensor
414	High pressure switch
416	Discharge pipe sensor
417	Defrost sensor
419	Evaporation out sensor
420	Evaporation in sensor
421	Suction gas sensor
422	Dew point sensor
425	Flow meter
431	Liquid line sensor
432	Signal compressor in operation
433	Low pressure transmitter
434	High pressure transmitter
435	Inverter
436	DI 1
437	DI 2
438	DI 3
439	DI 4
440	Spare
441	Communication card
442	Main PCB
443	Sub PCB
444	External alarm
445	DI 5
446	DI 6
447	DI 7
448	DI 8
449	DC-choke
453	Display
455	Indoor hub controller
456	Current Limiter
501	Frost protection sensor
502	Injection sensor
503	Air out sensor
504	Oil sump sensor
505	EVI pressure transmitter
506	Condenser out sensor
507	Condenser in sensor
508	Air in sensor
509	Refrigerant leakage sensor
510	Differential pressure switch
511	Differential pressure transmitter
600	Outdoor unit with compressor and inbuilt electrical immersion heater
* Note 8	Alarm

Number/ Note	Description
* Note 9	Speed control
* Note 15	Immersion heater or external auxiliary heater
* Note 16	Potential free contact
* Note 17	To outdoor unit
* Note 18	To expansion unit
* Note 19	Communication
* Note 28	230VAC for external loads
* Note 29	Max 5A load
* Note 30	24VAC for external loads
* Note 31	Max 1A load in total
* Note 32	The outdoor unit is equipped with a modbus communication card, which is not shown in this circuit diagram. Terminal F1/F2 is connected to the communication card, instead of to main PCB.
* Note 33	15kW immersion heater is optional
* Note 34	Works only together with EM3-card
* Note 35	External safety fan for 230V contactor control circuit only

2 Idun Total EQ 400V






Approved by		EmDa
Approved date		2026-08-06
Designed by		Pic01
Date		2026-01-16
Sheet		Next
Drawing number		086L6690
Revision		01

CIRCUIT DIAGRAM

I/O Connections


400V-3N

Thermia Idun Total EQ



		CIRCUIT DIAGRAM		Approved by	EmDa
				Approved date	2026-08-06
I/O Connections 400V-3N Thermia Idun Total EQ		Drawing number 086L6690		Designed by	Picli
				Date	2026-01-16
				Sheet	Next
				3	4
				Revision	01

3 Idun Compact 400V




CIRCUIT DIAGRAM		Approved by	EnDa
		Approved date	2028-08-06
		Designed by	PeOl
		Date	2028-01-16
		Sheet	Next
		Revision	Revision
		Drawing number	086L6689
		1	2
		1	01

CIRCUIT DIAGRAM


I/O Connections
400V~3N


400V~3N
Thermia Idun Compact/Total 300l

Approved by	EmDa
Approved date	2026-08-06
Designed by	PeOl
Date	2026-01-16
Sheet	Next
2	3
	Revision
	01



16





CIRCUIT DIAGRAM

I/O Connections
230V~1N
Thermia Idun Standard

Approved by	EmDa
2026-08-06	2026-08-06
Designed by	PeDi
2026-01-16	2026-01-16
Sheet	Next
2	3
Drawing number	Revision
086L6688	01

1 2 3 4 5 6 7 8



Thermia AB
Box 950
SE 671 29 ARVIKA
Phone +46 570 81300
E-mail: info@thermia.com
Website: www.thermia.com

Thermia can accept no responsibility for possible errors in catalogues, brochures and other printed material. Thermia reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without subsequent changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Thermia AB and the Thermia AB logotype are trademarks of Thermia AB. All rights reserved.
